

Technical Specifications

HP P27 G5 FHD Monitor




Front

1. Power Button
2. LED Power

Technical Specifications

HP P27 G5 FHD Monitor



1. Joypad OSD button
2. Security Cable Slot
3. Power Connector

Back

4. DisplayPort™ 1.2
5. HDMI 1.4 Port
6. VGA Port

Technical Specifications


Model: 64X69AA

| | | |
|--|--|---|
| Panel Specifications | Display Size (Diagonal) | 27 inch |
| | Panel Technology | IPS |
| | | 75Hz |
| | Max Refresh Rate | NOTE: 75Hz refresh rate can be supported via HDMI and DP cable connection only. 60 Hz refresh rate with VGA. |
| | Native Resolution | FHD (1920 x 1080) |
| | Panel Bit Depth | 8 bit (6 bit + FRC) |
| | Aspect Ratio | 16:9 |
| | Brightness (Typical) | 250 nits |
| | Contrast Ratio (Static) | 1000:1 |
| | Dynamic Contrast Ratio | 8M:1 |
| | Flicker Free | Yes (TÜV certified) |
| | Pixel Pitch | 0.31 x 0.31 |
| | Pixels Per Inch (PPI) | 82 PPI |
| | Display Colors | Up to 16.7 million colors supported |
| | Backlight Lamp Life Minimum (To Half Brightness - In Hours) | 30 |
| | Backlight Type | Edge-lit |
| | Screen Treatment | Anti-glare |
| | Hardness | 3H |
| | Haze | 25% |
| | Response Time (Typical) | 5ms GtG (with overdrive) |
| | Horizontal Viewing Angle (Typical Cr>10) | 178° |
| | Vertical Viewing Angle (Typical Cr>10) | 178° |
| Panel Active Area Metric (W x H) | 59.79 x 33.61 cm | |
| Panel Active Area Imperial (W x H) | 23.54 x 13.23 in | |
| NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. | | |
| Color | NTSC | 72% |
| Color Management | Color Space/ Subsampling Support | RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2 |
| | RGB Channel Adjust | Yes, Gain |
| | Default Color Temperature | Standard (6500K) |
| | Factory Color Calibrated | Yes (Color Temperature) |
| | Factory Color Presets | Warm - 5000K, Neutral - 6500K, Cool - 9300K |
| Monitor Specifications | Bezel Type | 3-sided borderless |
| | Color Of Stand | Black |
| | Color Of Head | Black |
| | Tilt | Yes, -5~+20° |
| | Vesa Mounting | 100 mm x 100 mm |
| | Security Lock | Standard Security Lock Slot |
| | Detachable Stand | Yes |

Technical Specifications

| | | |
|--------------------------------|---|--|
| | Warranty | 3/3/0 for LA, NA, EMEA, APJ (3/3/3 in select APJ Countries) |
| | Low Blue Light | Yes (TÜV certified) |
| | Management Software | HP Client Management Script Library (CMSL)* HP Display Center** |
| | | * The Client Management Script Library must be downloaded to the connected PC to run CMSL commands. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL. |
| | | **Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store. |
| On Screen Display (OSD) | On Screen Display | Brightness+, Color, Image, Input, Power, Menu, Management, Information, Exit |
| | Native Resolution | FHD (1920 x 1080) NOTE: DisplayPort 1.2 & HDMI 1.4 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920x1080 at 60 Hz with 8-bit color using one HDMI or VGA. |
| | Maximum Resolution | 1920 x 1080 (FHD) |
| | Preset Graphic Modes/Supported Resolutions | 640 x 480 @ 60Hz 640 x 480 @ 75Hz 720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 800 x 600 @ 75 Hz 1024 x 768 @ 60 Hz 1024 x 768 @ 75 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1280 x 1024 @ 75 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz 1920 x 1080 @ 75 Hz |
| | Minimum Vertical Scan Rate | 48 Hz |
| | Maximum Vertical Scan Rate | 75 Hz |
| | Minimum Horizontal Scan Rate | 30.0 kHz |
| | Maximum Horizontal Scan Rate | 86.0 kHz |
| | Maximum Pixel Clock | 180.0 MHz |
| | User Programmable Modes | Yes, 10 |
| | User-Assignable Function Buttons | Yes, 4 (6 options) |
| | Languages | 11 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese and Russian) |
| Connector Types | DisplayPort™ | 1 DisplayPort™ 1.2 |
| | HDMI | 1 HDMI 1.4 |

Technical Specifications

| | | |
|---|--|--|
| | HDCP | Yes, DisplayPort and HDMI |
| | VGA | 1 VGA |
| Special Features | SWITCH | Monitor Power button Next Active Input / Up button Brightness / Down button Information / Left button Color / Right button Menu / Enter button |
| | User Presets | 11 (VGA) / 16 (HDMI and DP) |
| Power & Operating Specs | Power Supply | Internal |
| | Power Source | 100 – 240 VAC 50/60 Hz |
| | Power Consumption- Max | 35 W |
| | Energy Saving/Stand By Mode | 0.5 W |
| | Power Consumption - Typical | 25 W |
| Energy Star Data | Operational Mode at 100 VAC | 15.7W |
| | Operational Mode at 115 VAC | 15.7W |
| | Operational Mode at 230 VAC | 15.7W |
| EU Energy Efficiency Class (ErP LOT-5) | On-mode Power Consumption for Standard Dynamic Range (SDR) | 20 |
| | ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR) |  |
| Operating Conditions | Operating Temperature - Celsius | 5° – 35°C |
| | Operating Temperature - Fahrenheit | 41° – 95°F |
| | Non-Operating Temperature - Celsius | -40° – 65°C |
| | Non-Operating Temperature - Fahrenheit | -40° – 149°F |
| | Operating Humidity | 20 – 80% Relative Humidity (non-condensing) |
| | Non-Operating Humidity | 5 – 95% |
| | Operating Altitude | 0 – 5,000 m (16,400 ft.) |
| | Non-operating Altitude | 0 – 12,192 m (40,000 ft.) |
| Certifications and Compliances | Mercury-free LED display backlighting | Yes, Mercury-free LED backlighting |
| | Low Halogen | Yes* |
| | Agency Approvals and Certifications | *External power supplies, WWAN modules, power cords, cables and peripherals excluded. WW application UAE/EUP Lot6 and Lot26/ Eup Lot5/ Energy Star/ TCO Edge/ TCO/ Australia MEPS/ Vietnam MEPS/ CEC/ Bauart/ China CCC/ cTUVus/ Korea KC/ Korea KCC/ Korea e- Standby/ CB(62368-1&60950)/ ISO9241-307/ CE/FCC/VCCI/RCM/C-TICK/IC/ India BIS/ Taiwan BSMI/ Mexico NOM/ South Africa Energy Efficiency/ Argentina S-Mark/ Singapore PSB/ Cambodia ISC/ EAC//Mexico Energy /CEL/Ukraine(DOC&COC)/NRCS/Ukraine energy |

Technical Specifications

Microsoft WHQL Certification
ENERGY STAR® Certified
EPEAT® Registered
Regions need to verify by country

Win 11, Win 10, Win 8, Win 7
 Yes, ENERGY STAR®

EPEAT® registered*

*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit <http://www.epeat.net> for more information.

China Energy Label

CEL Grade 2

*Monitors produced from June 2024 comply with China regulation GB 21520-2023

TCO Certified Edge
TCO Certified
SmartWay Transport Partnership - NA only

Yes

Yes

Yes (NA sku)

Contains Recycled Plastics

Contains Recycled Plastics

85% ITE-derived closed loop plastic*

*Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

Recyclable Packaging (Box, packing materials)

Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable*

*100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

Unit Product/Package Specifications

Product Dimensions
 (Unpacked with stand) (W x D x H)
Product Dimensions
 (Packed) (W x D x H)
Display Head Dimensions
 (Unpacked without stand) (W x D x H)
Base Area Footprint
 (w x d mm)
Bezel Measurements
 (Unpacked with stand) (W x D x H)
Product Weight
 (Unpacked with stand)
Product Weight
 (Packed)
Product Weight
 (Head Only)

Metric

Imperial

61.1 x 19.03 x 43.84 cm

24.05 x 7.49 x 17.25 in

68.5 x 13.7 x 42.5 cm

26.97 x 5.39 x 16.73 in

61.1 x 5.71 x 36.55 cm

24.05 x 2.25 x 14.39 in

178 x 180 mm

7.00 x 7.08 in

Bottom: 21.7 mm

Bottom: 0.85 in

5.08 kg

11.19 lb

7.64 kg

16.85 lb

4.43 kg

9.77 lb

Pallet Information

Pallet Dimensions
 (L x W x H mm)

Slip Sheet:
 1106 x 695 x 2150 mm
 (20ft & 40ft & 40HQ)

Slip Sheet:
 43.54 x 27.36 x 84.65 inch
 (20ft & 40ft & 40HQ)

Pallet:
 1106 x 695 x 2250 mm
 (20ft & 40ft & 40HQ)

Pallet:
 43.54 x 27.36 x 88.58 inch
 (20ft & 40ft & 40HQ)

Pallet Total Weight

Slip Sheet:

Slip Sheet:

Technical Specifications

| | | | |
|--|---|--|---|
| | | 305.6kg (20ft & 40ft & 40HQ) Pallet: 313.6kg (20ft & 40ft & 40HQ) 5 layers per pallet 8 per layer 40 sets per pallet (40 ft) 640 sets (slip sheet and pallet) 1360 sets (slip sheet and pallet) 1360 sets (slip sheet & pallet) | 673.9 (20ft & 40ft & 40HQ) Pallet: 691.6 (20ft & 40ft & 40HQ) |
| | Pallet Layers | | |
| | Pallet Product per Layer | | |
| | Total Products per Pallet | | |
| | Container Load, 20-Foot | | |
| | Container Load, 40-Foot | | |
| | Container Load, 40-Foot HighQ | | |
| What's in the box? | AC power cord (1.83m) 6 ft VGA cable (1.8m) 5.9 ft (Japan Only) DP cable (1.8m) 5.9 ft (Japan, EMEA AF SKUs, and NA only) HDMI 1.4 cable (1.8m) 5.9ft Warranty Doc kit Quick Setup Poster | | |
| User Guide and Warranty Languages | User Guide Languages | Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian | |
| | Warranty Languages | English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH) Turkish (TR), Ukrainian (UK), Vietnamese (VI) | |

Technical Specifications

ENVIRONMENTAL DATA

| | | | |
|--|--|---------------------|---------------------|
| Eco-Label Certifications & declarations | <p>This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:</p> <ul style="list-style-type: none"> • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO Certified Edge • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label* | | |
| Sustainable Impact Specifications | <ul style="list-style-type: none"> • 85% ITE – derived closed loop plastic • Low halogen • Outside Box and corrugated cushions are 100% sustainably sourced and recyclable • Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable • Recycled Plastic cushions | | |
| System Configuration | <p>The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a “Typically Configured Notebook”.</p> | | |
| Energy Consumption (in accordance with US ENERGY STAR® test method) | 115VAC, 60Hz | 230VAC, 50Hz | 100VAC, 50Hz |
| Normal Operation (Short idle) | 14.97 W | 15.04 W | 15.1 W |
| Normal Operation (Long idle) | 14.97 W | 15.04 W | 15.1 W |
| Sleep | 0.13 W | 0.15 W | 0.13 W |
| Off | 0.1 W | 0.12 W | 0.09 W |
| | <p>NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.</p> | | |
| Heat Dissipation* | 115VAC, 60Hz | 230VAC, 50Hz | 100VAC, 50Hz |
| Normal Operation (Short idle) | 51.2 BTU/hr | 51.4 BTU/hr | 51.6 BTU/hr |
| Normal Operation (Long idle) | 51.2 BTU/hr | 51.4 BTU/hr | 51.6 BTU/hr |
| Sleep | 0.4 BTU/hr | 0.5 BTU/hr | 51.6 BTU/hr |
| Off | 0.3 BTU/hr | 0.4 BTU/hr | 51.6 BTU/hr |
| | <p>*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.</p> | | |

Technical Specifications

| | | | |
|--------------------------------|--|-------------------------------------|--------|
| Longevity and Upgrading | This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the | | |
| | Spare parts are available throughout the warranty period and or for up to “5” years after the end of production. | | |
| Additional Information | <ul style="list-style-type: none"> • This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. • This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. • This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). • This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net • Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. • This product is 98.9% recycle-able when properly disposed of at end of life. | | |
| Packaging Materials | External: | PAPER/Paperboard | 793 g |
| | | PAPER/Molded Pulp | 1206 g |
| | Internal: | PLASTIC/EPE (Expanded Polyethylene) | 30 g |
| | The plastic packaging material contains at least 0.0% recycled content. | | |
| | The corrugated paper packaging materials contains at least 90% recycled content. | | |
| RoHS Compliance | <p>HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.</p> <p>We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.</p> <p>We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.</p> <p>To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.</p> | | |
| Material Usage | <p>This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):</p> <ul style="list-style-type: none"> • Asbestos • Certain Azo Colorants • Certain Brominated Flame Retardants – may not be used as flame retardants in plastics • Cadmium • Chlorinated Hydrocarbons • Chlorinated Paraffins • Bis(2-Ethylhexyl) phthalate (DEHP) • Benzyl butyl phthalate (BBP) • Dibutyl phthalate (DBP) • Diisobutyl phthalate (DIBP) • Formaldehyde | | |

Technical Specifications

| | |
|---|--|
| | <ul style="list-style-type: none"> • Halogenated Diphenyl Methanes • Lead carbonates and sulfates • Lead and Lead compounds • Mercuric Oxide Batteries • Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. • Ozone Depleting Substances • Polybrominated Biphenyls (PBBs) • Polybrominated Biphenyl Ethers (PBBEs) • Polybrominated Biphenyl Oxides (PBBOs) • Polychlorinated Biphenyl (PCB) • Polychlorinated Terphenyls (PCT) • Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. • Radioactive Substances • Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO) |
| Packaging Usage | <p>HP follows these guidelines to decrease the environmental impact of product packaging:</p> <ul style="list-style-type: none"> • Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. • Eliminate the use of ozone-depleting substances (ODS) in packaging materials. • Design packaging materials for ease of disassembly. • Maximize the use of post-consumer recycled content materials in packaging materials. • Use readily recyclable packaging materials such as paper and corrugated materials. • Reduce size and weight of packages to improve transportation fuel efficiency. • Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards. |
| End-of-life Management and Recycling | <p>HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.</p> <p>The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.</p> |
| HP, Inc. Corporate Environmental Information | <p>For more information about HP's commitment to the environment:</p> <p>Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html</p> <p>Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html</p> <p>ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf</p> |

Technical Specifications

| | |
|------------------|---|
| footnotes | <ul style="list-style-type: none">• Percentage of ocean-bound plastic contained in each component varies by product• Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.• External power supplies, WWAN modules, power cords, cables and peripherals excluded.• 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.• Fiber cushions made from 100% recycled wood fiber and organic materials.• Plastic cushions are made from >90% recycled plastic. |
|------------------|---|

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log

| Change Log | | | |
|-------------------|----------|---------|---|
| March 6, 2023 | V1 to V2 | Added | Mercury-free LED display backlighting |
| April 12, 2023 | V2 to V3 | Updated | Color Management section |
| October 24, 2023 | V3 to V4 | Updated | What's in the box? Section |
| February 1, 2024 | V4 to V5 | Added | Panel Specifications Section |
| April 3, 2024 | V5 to V6 | Added | Footnote for CEL |
| December 17, 2024 | V6 to V7 | Updated | HP Client Management Script Library (CMSL) Footnote |
| | | | |